

# Discovery of heterocyclic 4-arylamido 5-methylisoxazole analogues as selective FLT3 inhibitors by Conformational restriction of type II FMS inhibitor

Jung-Mi Hah(jhah@hanyang.ac.kr), Daseul Im, Byeongha Choi

Youri Oh, Miyoung Jang, Jingwoong Kim

Hyungwoo Moon

College of Pharmacy and Institute of Pharmaceutical Science and Technology, Hanyang University, Ansan, Korea

## Abstract

A series of 4-arylamido 5-methylisoxazole derivatives incorporating heterocyclic aromatic ring were designed and synthesized by modifying type II FMS inhibitor. Kinase profiling of one compound revealed interesting features, with increased inhibitory potency toward FLT3 and concomitant loss of potency toward FMS. Therefore, more derivatives were synthesized and evaluated for their inhibitory activities against FLT3. Derivatives were made as several privileged heteroaromatic structure with hydrophobic moieties and one compound containing methyl piperazine among them exhibited the most potent inhibitory activity against FLT3 (IC<sub>50</sub>= 170 nM) with excellent selectivity profile.

**Keywords:** FMS, heterocyclic aromatic ring, conformational restriction, FLT3

## References

- [ 1 ] Swords R, Freeman C, Giles F. Targeting the FMS-like tyrosine kinase 3 in acute myeloid leukemia. *Leukemia*. 2012;26(10):2176-2185.
- [ 2 ] Drexler HG. Expression of FLT3 receptor and response to FLT3 ligand by leukemic cells. *Leukemia*. 1996;10(4):588-599.
- [ 3 ] Takahashi S. Downstream molecular pathways of FLT3 in the pathogenesis of acute myeloid leukemia: Biology and therapeutic implications. *Journal of Hematology and Oncology*. 2011.
- [ 4 ] Gary Gilliland D, Griffin JD. The roles of FLT3 in hematopoiesis and leukemia. *Blood*. 2002;100(5):1532-1542.
- [ 5 ] Versele, M, Haefner, B, Wroblowski, B, Stansfield, I, Mevellec, L, Gilissen, R, et al. Covalent Flt3-Cys828 inhibition represents a novel therapeutic approach for the treatment of Flt3- ITD and Flt3-D835 mutant acute myeloid leukemia. *Cancer Res*. 2016;76(14):4800.
- [ 6 ] Im D, Jung K, Yang S, Aman W, Hah JM. Discovery of 4-arylamido 3-methyl isoxazole derivatives as novel FMS kinase inhibitors. *Eur J Med Chem*. 2015;102:600–610.